

Airclos[®]
Aluminium Systems

VERTICAL SLIDING WINDOW **V150** TECHNICAL SHEET


Series V150:

- Serie V150 single glazed 2 pane configuration
- Serie V150 single glazed 3 pane configuration
- Serie V150 single glazed 4 pane configuration
- Serie V150 double glazed 2 pane configuration
- Serie V150 double glazed 3 pane configuration
- Serie V150 double glazed 4 pane configuration

Serie V150 single glazed 2 pane configuration

Vertical section

Measurements in mm



Characteristics

The motorised 2 pane vertical sliding window when opened allows the mobile pane to slide downward to create a compact glass blustrade.

8 mm glazing gap for laminated or tempered glass.

The upper edge of the mobile pane includes a security profile which avoids trapping hazards and serves as a handrail when open.


The system comes fully prepared for installation including all glazing, pre-cut profiles and motorisation.

Maximum format available 4000mm wide, 4000mm high, final measurements will depend on chosen configuration.

The motorisation and reinforced drive chains can easily raise large format panes (maximum 200kg total sum glazed pane weight).

The available finishes include anodized aluminium, imitation wood effects and over 210 ral powder coat references.


We are able to offer all types of glazing solutions ranging from transparent, tinted or sun protection glass.



Serie V150 single glazed 3 pane configuration

Vertical section

Measurements in mm



Characteristics

The motorised 3 pane vertical sliding window when opened allows the mobile pane to slide downward to create a compact glass blustrade.

8 mm glazing gap for laminated or tempered glass.

The upper edge of the mobile pane includes a security profile which avoids trapping hazards and serves as a handrail when open.

The system comes fully prepared for installation including all glazing, pre-cut profiles and motorisation.


Maximum format available 4000mm wide, 4000mm high, final measurements will depend on chosen configuration.

The motorisation and reinforced drive chains can easily raise large format panes (maximum 200kg total sum glazed pane weight).

The available finishes include anodized aluminium, imitation wood effects and over 210 ral powder coat references.

We are able to offer all types of glazing solutions ranging from transparent, tinted or sun protection glass.


Horizontal section



Serie V150 single glazed 4 pane configuration

Vertical section

Measurements in mm



Characteristics

The motorised 4 pane vertical sliding window when opened allows the mobile pane to slide downward to create a compact glass blustrade.

8 mm glazing gap for laminated or tempered glass.

The upper edge of the mobile pane includes a security profile which avoids trapping hazards and serves as a handrail when open.

The system comes fully prepared for installation including all glazing, pre-cut profiles and motorisation.


Maximum format available 4000mm wide, 4000mm high, final measurements will depend on chosen configuration.

The motorisation and reinforced drive chains can easily raise large format panes (maximum 200kg total sum glazed pane weight).

The available finishes include anodized aluminium, imitation wood effects and over 210 ral powder coat references.

We are able to offer all types of glazing solutions ranging from transparent, tinted or sun protection glass.


Horizontal section



Serie V150 double glazed 2 pane configuration

Vertical section

Measurements in mm



Characteristics

The motorised 2 pane vertical sliding window when opened allows the mobile pane to slide downward to create a compact glass blustrade.

22 mm glazing gap for the double glazing unit.

The upper edge of the mobile pane includes a security profile which avoids trapping hazards and serves as a handrail when open.

The system comes fully prepared for installation including all glazing, pre-cut profiles and motorisation.


Maximum format available 4000mm wide, 4000mm high, final measurements will depend on chosen configuration.

The motorisation and reinforced drive chains can easily raise large format panes (maximum 200kg total sum glazed pane weight).

The available finishes include anodized aluminium, imitation wood effects and over 210 ral powder coat references.

We are able to offer all types of glazing solutions ranging from transparent, tinted or sun protection glass.


Horizontal section



Serie V150 double glazed 3 pane configuration

Vertical section

Measurements in mm



Characteristics

The motorised 3 pane vertical sliding window when opened allows the mobile pane to slide downward to create a compact glass blustrade.

22 mm glazing gap for the double glazing unit.

The upper edge of the mobile pane includes a security profile which avoids trapping hazards and serves as a handrail when open.

The system comes fully prepared for installation including all glazing, pre-cut profiles and motorisation.


Maximum format available 4000mm wide, 4000mm high, final measurements will depend on chosen configuration.

The motorisation and reinforced drive chains can easily raise large format panes (maximum 200kg total sum glazed pane weight).

The available finishes include anodized aluminium, imitation wood effects and over 210 ral powder coat references.

We are able to offer all types of glazing solutions ranging from transparent, tinted or sun protection glass.


Horizontal section



Serie V150 double glazed 4 pane configuration

Vertical section

Measurements in mm



Characteristics

The motorised 4 pane vertical sliding window when opened allows the mobile pane to slide downward to create a compact glass blustrade.

22 mm glazing gap for the double glazing unit.

The system comes fully prepared for installation including all glazing, pre-cut profiles and motorisation.


Maximum format available 4000mm wide, 4000mm high, final measurements will depend on chosen configuration.

The motorisation and reinforced drive chains can easily raise large format panes (maximum 200kg total sum glazed pane weight).

The available finishes include anodized aluminium, imitation wood effects and over 210 ral powder coat references.

We are able to offer all types of glazing solutions ranging from transparent, tinted or sun protection glass.

Horizontal section



European Aluminium Systems S.L.U.
Avenida Europa, 103
12006 – Castellón de la Plana
Castellón – España
Telf: +34 964 260 849
export@airclos.com

